
Orbit.02 – Product Specification

URBAN DESIGN



Orbit.02
The Orbit.02 has one curve more than the Orbit.01. For those who like having a longer balancing challenge from one end to the other.



Orbit.02 - at a glance.

Product Family: Item Number: Children's Age: Fall Height (DIN EN 1176): Length x Width x Height:

Protective Surfacing Area (DIN EN 1176): Protective Surfacing Area (ASTM 1487):

Minimum space required DIN EN 1176: Minimum space required ASTM 1487:

Playpoints 90.160.212

3+

0.3 m (1'-0") 4.7 m x 1.8 m x 0.3 m (15'-5" x 5'-11" x 1'-0")

7.7 m x 4.8 m 8.4 m x 5.5 m (27'-7" x 18'-1")

30.9 m² 38.3 m² (413 ft²) Number of Foundations: Concrete Volume C20/C25:

Number of skilled installers required: Installation Time without foundation:

Dimension of largest part:

Weight of the heaviest part: Shipping Volume: Shipping Weight:

Spare part guarantee: Certificate according to DIN EN 1176: 0 pc.

2

2 hours

1.9 m x 1.4 m x 0.7 m (6'-3" x 4'-8" x 2'-4")

15 kg (33 lbs) 3.2 m³ (113 ft³) 250 kg (552 lbs)

Lifelong No.: Z2 15 07 10256 234

TÜV Product Service

Technical Data.

The following text can also be used for tenders.

Tubes

Frameworx®-stainless steel tubes, Ø 60.3 mm (2 3/8") connected to a Frameworx®-aluminum ball connector; Ø 250 mm (9-13/16")

Nodes:

Revision: May 2016

Frameworx®-aluminum ball connectors; Ø 250 mm (9-13/16"); anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process; securely closed with durable EPDM-caps



Berliner Seilfabrik GmbH & Co. Lengeder Straße 2/4 D-13407 Berlin

Tel. +49.(0)30.41 47 24-0 Fax +49.(0)30.41 47 24-33

info@berliner-seilfabrik.com www.berliner-seilfabrik.com

